

| |
|--|
| |
|--|

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

0652/03

October/November 2008

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES

Answer **all** questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Examiner's Use | |
|--------------------|--|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| Total | |

This document consists of **16** printed pages.

- 1 Fig. 1.1 shows a 0.20 kg mass hanging on a spring.




Fig. 1.1

- (a) (i) Calculate the weight of the mass.
($g = 10 \text{ N/kg}$)

Show your working.

weight =

- (ii) Write down the force acting on the mass due to the spring.

force = [3]

- (b) The mass is pulled down 1.5 cm and released.

Draw an arrow on the diagram and label it F , to show the direction of the resultant force on the mass immediately after it is released. [1]

For
Examiner's
Use

The graph in Fig. 1.2 shows the results of an experiment in which different loads were attached to the spring.

For
Examiner's
Use




Fig. 1.2

(c) On the graph, mark the limit of proportionality and label it **P**. [1]

(d) (i) Use the graph to find the resultant force when the mass is pulled down by 1.5 cm.

resultant force =

(ii) Calculate the initial acceleration of the mass when it is released.

acceleration = [3]

- 2 Metal greenhouse frames, as shown in Fig. 2.1, are usually made of steel or aluminium.

For
Examiner's
Use




Fig. 2.1

- (a) A disadvantage of using steel for a greenhouse frame is that it rusts when in contact with water and air.

This problem can be overcome by galvanising the steel.

- (i) Explain what is meant by the term *galvanising*.

.....
..... [1]

- (ii) Galvanising stops steel from rusting, even if the protective coating is scratched to expose the steel underneath.

Explain why.

.....
.....
.....
..... [3]

- (iii) Describe another method that could be used to prevent the steel frame rusting.

.....
..... [1]

- (iv) Does this method protect the steel frame as well as galvanising?

Explain your answer.

.....
..... [1]

- (b) An aluminium greenhouse frame does not corrode as quickly as steel.

Explain why.

.....
.....
..... [2]

- (c) Aluminium is also used to make aircraft bodies.

For this use aluminium is alloyed with other metals.

- (i) What effect does alloying have on the properties of aluminium that make it more useful for aircraft construction?

.....
..... [1]

- (ii) Explain why alloying has this effect.

.....
.....
..... [2]

- 3 Fig. 3.1 shows a liquid-in-glass thermometer.




Fig. 3.1

- (a) Explain what happens to the liquid when the thermometer is placed in a beaker of hot water.

.....

.....

..... [2]

- (b) Fig. 3.2 shows another type of thermometer, known as a thermocouple.




Fig. 3.2

- (i) Name suitable materials for

wire A [2]

wires B and C

- (ii) Junction 1 is placed in melting ice. Junction 2 is placed in boiling water. The voltmeter reads 7.2 mV.

Junction 2 is then placed in a beaker of water. The voltmeter reading falls to 4.8 mV. Calculate the temperature of the beaker of water.

Show your working.

temperature [2]

- (iii) State and explain **one** advantage that the thermocouple has over the liquid-in-glass thermometer.

*For
Examiner's
Use*

.....

.....

..... [2]

- 4 (a) Complete Table 4.1 to show the arrangement of electrons in atoms of these elements.

The first one has been done for you.

Table 4.1

| element | electron arrangement | | | |
|---------|----------------------|---|---|--|
| Mg | 2 | 8 | 2 | |
| K | | | | |
| Ar | | | | |
| N | | | | |

[3]

- (b) Describe the relationship between the electron arrangement of the atoms of an element and the position of that element in the Periodic Table.

.....

 [2]

- (c) Elements in Group 7 are called halogens. Table 4.2 gives some information about the physical properties of three halogens.

Table 4.2

| halogen | proton number | melting point/°C | boiling point/°C | colour |
|----------|---------------|------------------|------------------|------------|
| chlorine | 17 | -101 | -35 | pale green |
| bromine | 35 | -7 | 59 | deep red |
| iodine | 53 | 114 | 184 | dark grey |

- (i) Calcium forms ions with the formula Ca^{2+} . Iodine forms ions with the formula I^- .

What is the formula of calcium iodide?

..... [1]

For
Examiner's
Use

- (ii) The element below iodine in this Group is astatine.

Suggest the colour of astatine.

..... [1]

- (d) Table 4.3 gives information about four elements in Group 0 of the Periodic Table, called the noble gases.

Table 4.3

| element | proton number | melting point/°C | boiling point/°C | density of gas in kg/m ³ |
|---------|---------------|------------------|------------------|-------------------------------------|
| helium | 2 | -272 | -269 | 0.17 |
| neon | 10 | -248 | -246 | 0.84 |
| argon | 18 | -189 | -186 | 1.67 |
| krypton | 36 | -157 | -152 | 3.50 |

- (i) Describe the trend in boiling point for elements in Group 0.

.....
..... [2]

- (ii) The density of air is 1.20 kg/m³.

Helium is used in airships and weather balloons. The other noble gases are not.

Use data from the table to suggest why.

.....
.....
.....
..... [3]

- 5 (a) Fig. 5.1 shows a ripple tank with three wavefronts approaching an area of shallow water.

For
Examiner's
Use




Fig. 5.1

On Fig. 5.1, draw four more wavefronts to complete the diagram. [3]

- (b) Fig. 5.2 shows a similar ripple tank, with three wavefronts approaching a gap in a barrier.




Fig. 5.2

- (i) On Fig. 5.2, draw four wavefronts after they pass through the gap. [3]

- (ii) Name the process being demonstrated.

..... [1]

6 When petrol is burned in a car engine, pollutant gases are produced.

(a) In the car engine nitrogen and oxygen combine to form oxides of nitrogen, including nitrogen monoxide, NO.

(i) Describe the problems caused by release of oxides of nitrogen into the air.

.....

 [2]

(ii) To reduce the quantity of oxides of nitrogen released into the air, modern cars are fitted with catalytic converters.


Explain how a catalytic converter removes nitrogen oxide from car exhaust gases.

.....

 [2]

(b) Propane can be used as an alternative fuel to petrol.

Propane burns according to the following equation.



Calculate the mass and volume, at room temperature and pressure, of carbon dioxide produced by the complete combustion of 1.0 kg of propane.

Show your working.

[A_r: C, 12; H, 1; O, 16.]

[At room temperature and pressure 1 mole of any gas has a volume of 24 dm³.]

mass of carbon dioxide = kg

volume of carbon dioxide = dm³ [5]

(c) Carbon dioxide is a covalent compound.

Draw a diagram to show the arrangement of outer electrons in a molecule of carbon dioxide.

[3]

7 Ethene is reacted with steam to make ethanol.

For
Examiner's
Use

(a) Describe how ethene is obtained.

.....
..... [2]

(b) Write a balanced equation for the reaction between ethene and steam.

..... [2]

(c) Complete this sentence to describe the conditions used for this reaction.

Ethene and steam are mixed at high pressure in the presence of

..... [1]

8 A nuclear power station supplies 200 000 kW to the National Grid at 55 000 V.

- (a) Calculate the current from the power station.
Show your working.

current = [3]

- (b) The energy is transmitted across the country at this voltage. It is stepped down to 250 V for domestic use.

- (i) Explain why the energy is transmitted at a very high voltage.

.....

.....

.....

.....

- (ii) Name the device used to step down the voltage.

- (iii) Calculate the turns ratio required to step the voltage down from 55 000 V to 250 V.
Show your working.

primary turns : secondary turns
..... : [5]

- (c) A transformer is described as 100% efficient.
Explain what is meant by this statement.

.....

..... [1]

For
Examiner's
Use

- 9 The iodine isotope, $^{131}_{53}\text{I}$, decays by emitting a β -particle.

For
Examiner's
Use

- (a) Explain what is meant by a β -particle.

.....
..... [2]

- (b) (i) Complete the equation which describes the decay.



- (ii) Use the Periodic Table, on page 16, to identify the element X and comment on its reactivity.

.....
..... [4]

- (c) This isotope has a half-life of 8.1 days and is used in medical diagnosis and treatment.

Suggest why the isotope is suited for this purpose.

.....
..... [2]

DATA SHEET
The Periodic Table of the Elements

| Group | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|-----------------------------|---------------------------------|-----------------------------|-----------------------------|------------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|---------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|---------------------------|---------------------------|------------------------|------------------------|------------------------|-------------------------|------------------------|--------------------------|--------------------------|----------------------|--------------------------|-----------------------|-------------------------|
| I | II | | | | | | | | | | | III | IV | V | VI | VII | 0 | | | | | | | | | | | | |
| | | <div>1 H Hydrogen</div> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 7 Li Lithium | 4 9 Be Beryllium | | | | | | | | | | | 5 11 B Boron | 6 12 C Carbon | 7 14 N Nitrogen | 8 16 O Oxygen | 9 19 F Fluorine | 2 4 He Helium | | | | | | | | | | | | |
| 11 23 Na Sodium | 12 24 Mg Magnesium | | | | | | | | | | | 13 27 Al Aluminium | 14 28 Si Silicon | 15 31 P Phosphorus | 16 32 S Sulphur | 17 35.5 Cl Chlorine | 18 40 Ar Argon | | | | | | | | | | | | |
| 19 39 K Potassium | 20 40 Ca Calcium | 21 45 Sc Scandium | 22 48 Ti Titanium | 23 51 V Vanadium | 24 52 Cr Chromium | 25 55 Mn Manganese | 26 56 Fe Iron | 27 59 Co Cobalt | 28 59 Ni Nickel | 29 64 Cu Copper | 30 65 Zn Zinc | 31 70 Ga Gallium | 32 73 Ge Germanium | 33 75 As Arsenic | 34 79 Se Selenium | 35 80 Br Bromine | 36 84 Kr Krypton | | | | | | | | | | | | |
| 37 85 Rb Rubidium | 38 88 Sr Strontium | 39 89 Y Yttrium | 40 91 Zr Zirconium | 41 93 Nb Niobium | 42 96 Mo Molybdenum | 43 101 Tc Technetium | 44 101 Ru Ruthenium | 45 103 Rh Rhodium | 46 106 Pd Palladium | 47 108 Ag Silver | 48 112 Cd Cadmium | 49 115 In Indium | 50 119 Sn Tin | 51 122 Sb Antimony | 52 128 Te Tellurium | 53 127 I Iodine | 54 131 Xe Xenon | | | | | | | | | | | | |
| 55 133 Cs Caesium | 56 137 Ba Barium | 57 139 La Lanthanum | 72 178 Hf Hafnium | 73 181 Ta Tantalum | 74 184 W Tungsten | 75 186 Re Rhenium | 76 190 Os Osmium | 77 192 Ir Iridium | 78 195 Pt Platinum | 79 197 Au Gold | 80 201 Hg Mercury | 81 204 Tl Thallium | 82 207 Pb Lead | 83 209 Bi Bismuth | 84 209 Po Polonium | 85 209 At Astatine | 86 209 Rn Radon | | | | | | | | | | | | |
| 87 Fr Francium | 88 226 Ra Radium | 89 227 Ac Actinium | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 58-71 Lanthanoid series | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 90-103 Actinoid series | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div>140 Ce Cerium</div> | | | | | | | | | | | | | | | | | | 141 Pr Praseodymium | 144 Nd Neodymium | 150 Sm Samarium | 152 Eu Europium | 157 Gd Gadolinium | 159 Tb Terbium | 162 Dy Dysprosium | 165 Ho Holmium | 167 Er Erbium | 169 Tm Thulium | 175 Lu Lutetium | |
| <div>232 Th Thorium</div> | | | | | | | | | | | | | | | | | | 232 Pa Protactinium | 238 U Uranium | 238 Pu Plutonium | 238 Am Americium | 238 Cm Curium | 238 Bk Berkelium | 238 Cf Californium | 238 Es Einsteinium | 238 Fm Fermium | 238 Md Mendelevium | 238 No Nobelium | 238 Lr Lawrencium |

a

X

b

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

a = relative atomic mass

X = atomic symbol

b = proton (atomic) number

Key

| | | |
|---|---|---|
| a | X | b |
|---|---|---|

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.